

RE: Stormwater FSP



Kristine Koch to: Andy Koulermos

02/02/2007 03:16 PM

'Amanda Shellenberger', 'Carl Stivers', dawns, 'Dennis Hanzlick', LindaSC, Ijones, 'Shawn Hinz', 'Simon Page', 'TARNOW Karen E', 'Valerie Oster'

Carl - I made my edits over Andy's. Additionally, fix table numbering in Appendix A and make sure all others are correct. Also, in tables make sure Alta is changed to Vista. I will be around on Monday if you need to discuss or need additional information. Hope you don't have to work the weekend on this!



EPA - FSP Text Feb 1 Split lack.doc

Kristine Koch Remedial Project Manager USEPA. Office of Environmental Cleanup 1200 Sixth Avenue, M/S ECL-115 Seattle, WA 98101 (206)553-6705 (206)553-0124 (fax) 1-800-424-4372 extension 6705 (M-F, 8-4 Pacific Time, only) Andy Koulermos <akoulermos@newfields.com>



Andy Koulermos <akoulermos@newfields.co

02/01/2007 12:57 PM

- To 'Carl Stivers' <cstivers@anchorenv.com>, Kristine Koch/R10/USEPA/US@EPA. 'TARNOW Karen E' <TARNOW.Karen@deg.state.or.us>, ljones@integral-corp.com, LindaSC@BES.CI.PORTLAND.OR.US, dawns@bes.ci.portland.or.us
- cc 'Valerie Oster' <voster@anchorenv.com>, 'Shawn Hinz' <shinz@anchorenv.com>, 'Simon Page' <spage@anchorenv.com>, 'Amanda Shellenberger' <ashellenberger@anchorenv.com>, 'Dennis Hanzlick' <dhanzlick@anchorenv.com>

Subject RE: Stormwater FSP

Here's my suggested edits to the FSP; written on a bumpy flight home.

My main recommendation is to strip out all the text that is reproduced in SOPs/appendices. I've had problems with attorney reviews in the past where things are phrased differently in different parts of the document. Generally I recommend saying something once and referring back to it if needed - I think this will make the report cleaner and easier to approve.

Hope this helps.

----Original Message----

From: Carl Stivers [mailto:cstivers@anchorenv.com]

Sent: Thursday, February 01, 2007 8:17 AM

To: Koch.Kristine@epamail.epa.gov; TARNOW Karen E; ljones@integral-corp.com; Andy Koulermos; LindaSC@BES.CI.PORTLAND.OR.US; dawns@bes.ci.portland.or.us

Cc: Valerie Oster; Shawn Hinz; Simon Page; Amanda Shellenberger; Dennis

Hanzlick

Subject: RE: Stormwater FSP

Stormwater Technical Team -

Per yesterday's discussion, attached are two documents spliting the previous contents of Sections 1 and 2 of the last draft of the FSP into (1) Rationale and (2) FSP (details). Note that I tracked both changes in redline. However, I used the previous draft of the FSP for the FSP portion of the attached documents, so it is hard to pick up my additional changes from previous redline strikeouts.

Also, by using the previous FSP for the new FSP sections 1 and 2, I reverted to the Section 2 organization, rather than Karen's new organization for Section 2. My feeling is that the new organization for Section 2 better fits with the new Rationale Section 2 and not so well for a detailed FSP Section 2, so it made sense to me. Please include within your comments any reogranization of the FSP Section 2 you would like to see, and remember that this section also needs to introduce the important information contained in most of the tables, so it needs to flow logically in those terms as well.

Per our discussions, I would like to receive all your comments on both the attached documents by no later than COB Friday Feb 2. We will then produce the next drafts for LWG/Agency manager review and approval by COB Feb 6, and request manager approval by COB Feb. 14.

Thanks.

Carl

From: Carl Stivers

Sent: Thu 1/25/2007 5:01 PM

To: Koch.Kristine@epamail.epa.gov; TARNOW Karen E; ljones@integral-corp.com; Andy Koulermos; LindaSC@BES.CI.PORTLAND.OR.US; dawns@bes.ci.portland.or.us Cc: Valerie Oster; Shawn Hinz; Simon Page; Amanda Shellenberger; Dennis

Hanzlick

Subject: RE: Stormwater FSP

All -

Some folks had trouble with the zip file I just sent. Here are all the files separately. Thanks.

Carl

Carl Stivers
Anchor Environmental, L.L.C.
1423 3rd Avenue, Suite 300
Seattle, WA 98101-2226
Phone: 206-287-9130
Fax: 206-287-9131

cstivers@anchorenv.com

This electronic message transmission contains information that is intended

for the use of the individual or entity named above. If you are not the intended recipient, please be aware that any disclosure, copying distribution or use of the contents of this information is prohibited. If you have received this electronic transmission in error, please notify us by telephone at (206) 287-9130, or by electronic mail, cstivers@anchorenv.com.

----Original Message----

From: Carl Stivers

Sent: Thursday, January 25, 2007 4:49 PM

To: 'Koch.Kristine@epamail.epa.gov'; TARNOW Karen E;

ljones@integral-corp.com; Andy Koulermos; LindaSC@BES.CI.PORTLAND.OR.US;

dawns@bes.ci.portland.or.us

Cc: Valerie Oster; Shawn Hinz; Simon Page; Amanda Shellenberger; Dennis

Hanzlick

Subject: Stormwater FSP

Stormwater Technical Team -

Sorry for the one day delay in getting the attached revised FSP out. The main text is tracked in redline strikeout so you can see what changed from previous version. It has been interesting trying to write this with everyone out doing site recons.

Please review this in preparation for our Jan. 31 meeting. Please provide any comments in writing via email prior to the meeting. Even getting comments the night before would help a lot. At the meeting we will go over those comments and over all recon information to set final feasible sampling locations.

We included all the previous round of comments to the best of our ability and as discussed at our last meeting. Please note that the Figure 2-1 map of sites is still under construction. We aren't ignoring the City comments on this, it just that it is difficult to verify the exact locations and basin amounts represented by each location when the recons are still ongoing. Once we have had a chance to go over all our most recent recon. info., we will do one final refinement of this map. Remember again, that the map is only for a general spatial indication of what is being sampled.

Please note that I am hoping that the City can bring any elevation and conveyance maps that they have for any sites that are looking difficult to do (still appears to be OF17 and OFM1). The City brought maps like this to the last meeting, and I think that will help again in these discussions.

I have also copied the Anchor team, some of whom will be at the meeting to discuss the recon. info. first hand. Our intention is to only go over sites that are proving logistically difficult. If we can get to a site as indicated by the final table from the managers, I don't see much need for discussing it on Wed.

Carl

Carl Stivers
Anchor Environmental, L.L.C.
1423 3rd Avenue, Suite 300
Seattle, WA 98101-2226
Phone: 206-287-9130

Fax: 206-287-9131

cstivers@anchorenv.com

This electronic message transmission contains information that is intended for the use of the individual or entity named above. If you are not the intended recipient, please be aware that any disclosure, copying distribution or use of the contents of this information is prohibited. If you have received this electronic transmission in error, please notify us by telephone at (206) 287-9130, or by electronic mail, cstivers@anchorenv.com.

----Original Message----

From: Koch.Kristine@epamail.epa.gov [mailto:Koch.Kristine@epamail.epa.gov]

Sent: Tuesday, January 16, 2007 1:11 PM

To: Carl Stivers

Cc: Andy Koulermos; dawns@bes.ci.portland.or.us;

LindaSC@BES.CI.PORTLAND.OR.US; ljones@integral-corp.com; TARNOW Karen E;

Valerie Oster

Subject: Re: Stormwater FSP Working Schedule

I will not be able to review this and provide comments by tomorrow.

Kristine Koch
Remedial Project Manager
USEPA, Office of Environmental Cleanup
1200 Sixth Avenue, M/S ECL-115
Seattle, WA 98101
(206)553-6705
(206)553-0124 (fax)

Carl Stivers
<cstivers@anchor
env.com>

01/16/2007 12:49 PM TARNOW Karen E

<TARNOW.Karen@deq.state.or.us>,
dawns@bes.ci.portland.or.us, Andy
Koulermos
<akoulermos@newfields.com>,
Kristine Koch/R10/USEPA/US@EPA,
ljones@integral-corp.com,
LindaSC@BES.CI.PORTLAND.OR.US

cc

Tο

Valerie Oster <voster@anchorenv.com> Subject Stormwater FSP Working Schedule

Stormwater Technical Team -

I thought I would recap Friday's stormwater meeting with some to do's and target dates for moving forward. Simon and I have also had time to

talk a little more with the implementation team to flesh out some of these target dates. So below are my thoughts (please correct or add as you see fit by responding to all). Note that some of the items below were discussed but specific dates may not have. I am trying to fit this all together so that it still works within the overall schedule.

Note that I am requesting a meeting of the Tech. Team on Jan. 31 starting from 11 am to 4 pm to discuss the final FSP. Please let me know if you cannot make this date.

*

 $\,$ Comments on draft FSP main text from Tech. Team to Anchor by Jan. 17 (ignore appendices for this version)

City will continue their recon of City stations and get back to Anchor as soon as possible with any contingency or alternate site suggestions (target date Jan. 19).

Anchor will review City recon information and set time in week of Jan 22 to field review sites as needed with City staff shortly after the info. is provided.

 $\,$ Anchor will recon additional LWG sites tomorrow Jan. 17 [this was just cancelled and will be resccheduled for week of Jan. 22]

 $$\operatorname{Anchor}$$ will recon. non-LWG member sites week of Jan 22 (along with City sites)

Anchor will revise FSP based on Jan. 17 comments and fleshout Appendices for second round of review (target date Jan. 24)

Implementation team will meet with Tech Team on Jan. 31 to take final FSP comments (provide in writing prior to meeting) and go over all recon information to set final feasible sampling sites.

Anchor will make final revisions to FSP by Feb. 5

*

 $\,$ FSP will be submitted on Feb. 5 for simultaneous review and approval to LWG Exec. and agency management team. Requesting approval by Feb. 9

This sequence of events gives us approval just prior to our expected best case delivery of the first batch of ISCO samplers for deployment the next week. Sediment traps will also be fabricated by that time.

Finally, I agreed that I would send around an example paragraph of the question I have regarding the priority issues for sampling outfalls OF17 and OF19 (and this question may also extend to OF-M1), where potential river back up may be an issue for sampling near the actual outfall. I am working on that.

Thanks to all.

Carl

From: TARNOW Karen E [mailto:TARNOW.Karen@deq.state.or.us]

Sent: Tue 1/16/2007 11:04 AM

To: dawns@bes.ci.portland.or.us; Andy Koulermos; Carl Stivers;

Koch.Kristine@epamail.epa.gov; ljones@integral-corp.com;

LindaSC@BES.CI.PORTLAND.OR.US; HOPE Bruce

Cc: Valerie Oster

Subject: CANCELLED: Jan 16 Tech Team mtg re: modeling

Oh the weather outside is frightful....

It's not a good day for our colleagues up north to venture down to Portland, and I don't think it will be very effective to have the conversation over the phone. Besides, it sounds like most folks are happy to have time to deal with other pressing matters!

So let's reschedule. Let me know how these dates/times work for you. Thanks

Feb 5th, PM Feb 8th, AM or PM Feb 14th, AM or PM Feb 15th, AM or PM

Thanks! Karen

----Original Message----

From: TARNOW Karen E

Sent: Wednesday, January 10, 2007 4:50 PM

To: dawns@bes.ci.portland.or.us; Andy Koulermos; Carl Stivers;

Koch.Kristine@epamail.epa.gov; ljones@integral-corp.com;

LindaSC@BES.CI.PORTLAND.OR.US; HOPE Bruce

Cc: Valerie Oster

Subject: Jan 16 Tech Team mtg re: modeling

We're schedule to meet at 1:30 on Tuesday, Jan 18 at the DEQ office at 2020 SW 4th St (4th Floor). I'm not aware that anyone is calling in so let me know if that's wrong.

Here's a proposed agenda. Send a Reply to All if you have additions or refinements to suggest.

AGENDA

1:30 - 2:00 Recent Changes to Stormwater Model Bruce will describe changes he made to the stormwater model to more accurately represent the river's flow velocity and how these changes appear to affect the outcome (i.e., stormwater impact to the river).

2:00 - 2:30 Review/Revise Modeling Workplan
The attached document was generated last August. We'll review it to
determine whether it still meets our needs.

2:30 - 4:00 Stormwater Model Data Needs We need to figure out how we convert stormwater loading data into data Bruce can be use as input for the model. [I imagine we'd want to approach this in the same way regardless of whether we are using the data for the stormwater model or the "hybrid" model.]



FSP Text Feb 1 Split lack.doc